


High Efficiency MV Nano Extended Surface V-Style Filters


MV12

- Proprietary hybrid synthetic media filtration for HVAC systems
Hospitals, airports, office buildings, pharmaceuticals, electronics, and industrial paint spray booths
- High turbulence/high humidity environments
- Fully potted construction
- Patented 1" Recess
- **MERV Rating 12**




MV13

- Proprietary hybrid synthetic media filtration for HVAC systems
Hospitals, airports, office buildings, pharmaceuticals, electronics, and industrial paint spray booths
- High turbulence/high humidity environments
- Fully potted construction
- Patented 1" Recess
- **LEED occupied building minimum filtration**
- **MERV Rating 13**



MV15/MVFR15 (UL 900 Class 1)

- Proprietary hybrid synthetic media filtration for HVAC systems
Hospitals, airports, office buildings, pharmaceuticals, electronics, and industrial paint spray booths
- High turbulence/high humidity environments
- Fully potted construction
- Patented 1" Recess
- **UL900 Class 1**
- **MERV Rating 15**



Performance	Unit	MV12	MV13	MV15	MVFR15
Rated Air Flow	CFM	1968			
Initial Resistance	"w.g.	.20	.33	.40	.40
Max Temperature	°F	160° Peaks@175°			
Final Resistance	"w.g.	1.50			
MERV@1968	1-16	12	13	15	15
ASHRAE 52.1 Equivalent Efficiency*	%	70-75%	80-90%	>95	>95
UL 900 Classification		Class2			Class1